

COMPARATIVE STATEMENT FOR SUPPLY OF ELECTRICAL ITEMS AND SOUND SYSTEM (Components)

DZONGKHAG ADMINISTRATION TIRANG FY 2019-2020

| S.no | Discription | unit | Qty | Unit price | | EXW price per Line Item [Col. 4 * (7-10)] [in | Price per line item for inland transportation | Total Price per | | |
|------|---|-------|-----|------------------|-----------------------------|---|---|-----------------|--------------|-------|
| | | | | NEWAR ENTERPRISE | GYELTSHEN ELECTRONICS SALES | | | [In Nu.] | (11+12) (15) | |
| | | | | EXW (7) | | | | | | |
| 1 | PVC insulated copper wire single core 1 sq.mm System/Royal cables only | Rolls | 1 | 655 | 0 | 655 | 0 | 12500 | 655 | 12500 |
| 2 | PVC insulated copper wire single core 1.5 sq.mm System/Royal cables only | Rolls | 1 | 1050 | 0 | 1050 | 0 | 13700 | 1050 | 13700 |
| 3 | PVC insulated copper wire single core 2.5 sq.mm System/Royal cables only | Rolls | 1 | 1575 | 0 | 1575 | 0 | 10900 | 1575 | 10900 |
| 4 | PVC insulated copper wire single core 4 sq.mm System/Royal cables only | Rolls | 1 | 2450 | 0 | 2450 | 0 | 9900 | 2450 | 9900 |
| 5 | PVC insulated copper wire single core 6 sq.mm System/Royal cables only | Rolls | 1 | 3900 | 0 | 3900 | 0 | 14700 | 3900 | 14700 |
| 6 | PVC insulated copper wire single core 10 sq.mm System/Royal cables only | Rolls | 1 | 6900 | 0 | 6900 | 0 | 8900 | 6900 | 8900 |
| 7 | PVC insulated copper wire Two core 1 sq.mm System/Royal cables only (Flexible wire) | Rolls | 1 | 740 | 0 | 740 | 0 | 7800 | 740 | 7800 |
| 8 | Atrial power cable 2 core (copper) 6 sq.mm Neco/Finox | m | 1 | 170 | 0 | 170 | 0 | 8800 | 170 | 8800 |
| 9 | Atrial power cable 2 core (copper) 10 sq.mm Neco/Finox | m | 1 | 280 | 0 | 280 | 0 | 7800 | 280 | 7800 |
| 10 | Atrial power cable 2 core (copper) 16 sq.mm Neco/Finox | m | 1 | 395 | 0 | 395 | 0 | 8900 | 395 | 8900 |
| 11 | Underground cable 2 core 10 sq.mm Neco/Finox | m | 1 | 104 | 0 | 104 | 0 | 190 | 104 | 190 |
| 12 | Underground cable 2 core 16 sq.mm Neco/Finox | m | 1 | 122 | 0 | 122 | 0 | 250 | 122 | 250 |
| 13 | Underground cable 2 core 25 sq.mm Neco/Finox | m | 1 | 125 | 0 | 125 | 0 | 199 | 125 | 199 |
| 14 | Underground cable 3 core 6 sq.mm Neco/Finox | m | 1 | 110 | 0 | 110 | 0 | 179 | 110 | 179 |
| 15 | Underground cable 3 core 10 sq.mm Neco/Finox | m | 1 | 135 | 0 | 135 | 0 | 245 | 135 | 245 |
| 16 | Underground cable 3 core 16 sq.mm Neco/Finox | m | 1 | 145 | 0 | 145 | 0 | 250 | 145 | 250 |
| 17 | Underground cable 3.5 core 16 sq.mm Neco/Finox | m | 1 | 154 | 0 | 154 | 0 | 199 | 154 | 199 |
| 18 | Underground cable 3.5 core 25 sq.mm Neco/Finox | m | 1 | 182 | 0 | 182 | 0 | 280 | 182 | 280 |
| 19 | Underground cable 3.5 core 35 sq.mm Neco/Finox | m | 1 | 230 | 0 | 230 | 0 | 390 | 230 | 390 |

| | | | | | | | | | | | | |
|----|--|------|---|-----|---|-----|---|---|---|------|-----|------|
| 20 | Underground cable 3.5 core 50 sq.mm Neco/Finolex | m | 1 | 299 | 0 | 299 | 0 | 0 | 0 | 399 | 299 | 399 |
| 21 | Underground cable 3.5 core 70 sq.mm Neco/Finolex | m | 1 | 408 | 0 | 408 | 0 | 0 | 0 | 499 | 408 | 499 |
| 22 | Underground cable 4 core 16 sq.mm Neco/Finolex | m | 1 | 153 | 0 | 153 | 0 | 0 | 0 | 550 | 153 | 550 |
| 23 | Underground cable 4 core 25 sq.mm Neco/Finolex | m | 1 | 199 | 0 | 199 | 0 | 0 | 0 | 499 | 199 | 499 |
| 24 | Underground cable 4 core 35 sq.mm Neco/Finolex | m | 1 | 255 | 0 | 255 | 0 | 0 | 0 | 399 | 255 | 399 |
| 25 | Underground cable 4 core 50 sq.mm Neco/Finolex | m | 1 | 332 | 0 | 332 | 0 | 0 | 0 | 490 | 332 | 490 |
| 26 | Underground cable 4 core 70 sq.mm Neco/Finolex | m | 1 | 450 | 0 | 450 | 0 | 0 | 0 | 580 | 450 | 580 |
| 27 | Underground cable 4 core 95 sq.mm Neco/Finolex | m | 1 | 549 | 0 | 549 | 0 | 0 | 0 | 680 | 549 | 680 |
| 28 | Underground cable 4 core 120 sq.mm Neco/Finolex | m | 1 | 672 | 0 | 672 | 0 | 0 | 0 | 790 | 672 | 790 |
| 29 | Thimble 20mm | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | 0 | 50 |
| 30 | Thimble 25mm | each | 1 | 8 | 0 | 8 | 0 | 0 | 0 | 23 | 8 | 23 |
| 31 | Thimble 30mm | each | 1 | 10 | 0 | 10 | 0 | 0 | 0 | 25 | 10 | 25 |
| 32 | Thimble 35mm | each | 1 | 10 | 0 | 10 | 0 | 0 | 0 | 45 | 10 | 45 |
| 33 | Thimble 40mm | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 45 | 0 | 45 |
| 34 | Steel pipe 20mmX1.6m Harson/Rajdhani | m | 1 | 75 | 0 | 75 | 0 | 0 | 0 | 1800 | 75 | 1800 |
| 35 | Steel pipe 25mmX1.6m Harson/Rajdhani | m | 1 | 110 | 0 | 110 | 0 | 0 | 0 | 7800 | 110 | 7800 |
| 36 | 20mm Junction box, 1 or 2 way for conduit | each | 1 | 25 | 0 | 25 | 0 | 0 | 0 | 300 | 25 | 300 |
| 37 | 20mm Inspection bend for conduit | each | 1 | 25 | 0 | 25 | 0 | 0 | 0 | 300 | 25 | 300 |
| 38 | 20mm socket for conduit | each | 1 | 25 | 0 | 25 | 0 | 0 | 0 | 450 | 25 | 450 |
| 39 | Steel Saddle 20mm | PKT | 1 | 190 | 0 | 190 | 0 | 0 | 0 | 65 | 190 | 65 |
| 40 | Steel Saddle 25mm | PKT | 1 | 220 | 0 | 220 | 0 | 0 | 0 | 50 | 220 | 50 |
| 41 | PVC conduit 20mm Harson/Rajdhani | m | 1 | 22 | 0 | 22 | 0 | 0 | 0 | 700 | 22 | 700 |
| 42 | PVC Conduit 25mm Harson/Rajdhani | m | 1 | 25 | 0 | 25 | 0 | 0 | 0 | 890 | 25 | 890 |
| 43 | PVC Tee Harson/Rajdhani | each | 1 | 5 | 0 | 5 | 0 | 0 | 0 | 50 | 5 | 50 |
| 44 | PVC Elbow Harson/Rajdhani | each | 1 | 4 | 0 | 4 | 0 | 0 | 0 | 50 | 4 | 50 |
| 45 | PVC coupler Harson/Rajdhani | each | 1 | 4 | 0 | 4 | 0 | 0 | 0 | 550 | 4 | 550 |
| 46 | 20mm junction box 1 way Harson/Rajdhani | each | 1 | 10 | 0 | 10 | 0 | 0 | 0 | 250 | 10 | 250 |
| 47 | 20mm junction box 2 way Harson/Rajdhani | each | 1 | 10 | 0 | 10 | 0 | 0 | 0 | 350 | 10 | 350 |
| 48 | 20mm junction box 3 way Harson/Rajdhani | each | 1 | 10 | 0 | 10 | 0 | 0 | 0 | 1359 | 10 | 1359 |
| 49 | 20mm junction box 4 way Harson/Rajdhani | each | 1 | 10 | 0 | 10 | 0 | 0 | 0 | 1450 | 10 | 1450 |
| 50 | 25mm junction box 1 way Harson/Rajdhani | each | 1 | 12 | 0 | 12 | 0 | 0 | 0 | 870 | 12 | 870 |
| 51 | 25mm junction box 2 way Harson/Rajdhani | each | 1 | 12 | 0 | 12 | 0 | 0 | 0 | 20 | 12 | 20 |
| 52 | 25mm junction box 3 way Harson/Rajdhani | each | 1 | 12 | 0 | 12 | 0 | 0 | 0 | 20 | 12 | 20 |
| 53 | 25mm junction box 4 way Harson/Rajdhani | each | 1 | 12 | 0 | 12 | 0 | 0 | 0 | 20 | 12 | 20 |
| 54 | 20mm HDPE pipe Druk Polythene | m | 1 | 29 | 0 | 29 | 0 | 0 | 0 | 670 | 29 | 670 |
| 55 | 25mm HDPE pipe Druk Polythene | m | 1 | 39 | 0 | 39 | 0 | 0 | 0 | 650 | 39 | 650 |
| 56 | Hose pipe 20mm Harson/Rajdhani | m | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 880 | 0 | 880 |
| 57 | Hose pipe 25mm Harson/Rajdhani | m | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1200 | 0 | 1200 |

| | | | | | | | | | | | | |
|----|---|--------|---|-----|---|-----|---|---|---|------|-----|------|
| 58 | MS saddle 20mm | Packet | 1 | 190 | 0 | 190 | 0 | 0 | 0 | 190 | 190 | 190 |
| 59 | MS saddle 25mm | Packet | 1 | 220 | 0 | 220 | 0 | 0 | 0 | 760 | 220 | 760 |
| 60 | 30mm wooden screw | Packet | 1 | 55 | 0 | 55 | 0 | 0 | 0 | 120 | 55 | 120 |
| 61 | 35mm wooden screw | Packet | 1 | 65 | 0 | 65 | 0 | 0 | 0 | 130 | 65 | 130 |
| 62 | 45mm wooden screw | Packet | 1 | 75 | 0 | 75 | 0 | 0 | 0 | 145 | 75 | 145 |
| 63 | 13x12x1.2mm Harson/Rajdhani | m | 1 | 30 | 0 | 30 | 0 | 0 | 0 | 550 | 30 | 550 |
| 64 | 20x12x1.2mm Harson/Rajdhani | m | 1 | 35 | 0 | 35 | 0 | 0 | 0 | 700 | 35 | 700 |
| 65 | 32x10x1.2mm Harson/Rajdhani | m | 1 | 40 | 0 | 40 | 0 | 0 | 0 | 890 | 40 | 890 |
| 66 | Coupler 25/32/40mm Harson/Rajdhani | each | 1 | 5 | 0 | 5 | 0 | 0 | 0 | 650 | 5 | 650 |
| 67 | PVC L 25/25/40mm Harson/Rajdhani | each | 1 | 5 | 0 | 5 | 0 | 0 | 0 | 1200 | 5 | 1200 |
| 68 | External Bend 25/32/40mm Harson/Rajdhani | each | 1 | 5 | 0 | 5 | 0 | 0 | 0 | 800 | 5 | 800 |
| 69 | Internal Bend 25/32/40mm Harson/Rajdhani | each | 1 | 5 | 0 | 5 | 0 | 0 | 0 | 760 | 5 | 760 |
| 70 | PVC Tee 25/32/40mm Harson/Rajdhani | each | 1 | 5 | 0 | 5 | 0 | 0 | 0 | 180 | 5 | 180 |
| 71 | Cassing capping pin Heavy duty | each | 1 | 30 | 0 | 30 | 0 | 0 | 0 | 180 | 30 | 180 |
| 72 | 1 way box Anchor Roma | each | 1 | 39 | 0 | 39 | 0 | 0 | 0 | 1200 | 39 | 1200 |
| 73 | 1 way base plate with cover plate Anchor Roma | each | 1 | 64 | 0 | 64 | 0 | 0 | 0 | 1280 | 64 | 1280 |
| 74 | 2 ways box Anchor Roma | each | 1 | 39 | 0 | 39 | 0 | 0 | 0 | 1350 | 39 | 1350 |
| 75 | 2 ways base plate with cover plate Anchor Roma | each | 1 | 64 | 0 | 64 | 0 | 0 | 0 | 1550 | 64 | 1550 |
| 76 | 3 ways box Anchor Roma | each | 1 | 52 | 0 | 52 | 0 | 0 | 0 | 790 | 52 | 790 |
| 77 | 3 ways base plate with cover plate Anchor Roma | each | 1 | 80 | 0 | 80 | 0 | 0 | 0 | 1200 | 80 | 1200 |
| 78 | 4 ways box Anchor Roma | each | 1 | 63 | 0 | 63 | 0 | 0 | 0 | 1350 | 63 | 1350 |
| 79 | 4 ways base plate with cover plate Anchor Roma | each | 1 | 94 | 0 | 94 | 0 | 0 | 0 | 1350 | 94 | 1350 |
| 80 | 6 ways box Anchor Roma | each | 1 | 85 | 0 | 85 | 0 | 0 | 0 | 1450 | 85 | 1450 |
| 81 | 6 ways base plate with cover plate Anchor Roma | each | 1 | 130 | 0 | 130 | 0 | 0 | 0 | 1850 | 130 | 1850 |
| 82 | 8 ways box(Linear) Anchor Roma | each | 1 | 110 | 0 | 110 | 0 | 0 | 0 | 2890 | 110 | 2890 |
| 83 | 8 ways (linear) base plate with cover plate Anchor Roma | each | 1 | 168 | 0 | 168 | 0 | 0 | 0 | 3500 | 168 | 3500 |
| 84 | 8 ways box (Square) Anchor Roma | each | 1 | 110 | 0 | 110 | 0 | 0 | 0 | 1340 | 110 | 1340 |
| 85 | 8 ways (Square) base plate with cover plate Anchor Roma | each | 1 | 168 | 0 | 168 | 0 | 0 | 0 | 1450 | 168 | 1450 |
| 86 | 10 ways box Anchor Roma | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4500 | 0 | 4500 |
| 87 | 10 ways base plate with cover plate Anchor Roma | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3500 | 0 | 3500 |
| 88 | 12 ways box Anchor Roma | each | 1 | 136 | 0 | 136 | 0 | 0 | 0 | 2800 | 136 | 2800 |
| 89 | 12 ways base plate with cover plate Anchor Roma | each | 1 | 208 | 0 | 208 | 0 | 0 | 0 | 2700 | 208 | 2700 |
| 90 | 6A Flush type switch 1 way Newlike/Anchor | each | 1 | 18 | 0 | 18 | 0 | 0 | 0 | 990 | 18 | 990 |
| 91 | 6A Flush type switch 2 way Newlike/Anchor | each | 1 | 25 | 0 | 25 | 0 | 0 | 0 | 670 | 25 | 670 |
| 92 | 6A Flush type electronic fan regulator Newlike/Anchor | each | 1 | 220 | 0 | 220 | 0 | 0 | 0 | 4500 | 220 | 4500 |
| 93 | 10A Modular switch 1 way Anchor Roma | each | 1 | 47 | 0 | 47 | 0 | 0 | 0 | 3800 | 47 | 3800 |
| 94 | 10A Modular switch 2 ways Anchor Roma | each | 1 | 95 | 0 | 95 | 0 | 0 | 0 | 2890 | 95 | 2890 |
| 95 | 20A Modular switch Anchor Roma | each | 1 | 105 | 0 | 105 | 0 | 0 | 0 | 4500 | 105 | 4500 |

| | | | | | | | | | | | | |
|-----|--|------|---|------|---|------|---|---|---|-------|------|-------|
| 96 | 10A Modular type Electronic fan regulator Anchor Roma | each | 1 | 330 | 0 | 330 | 0 | 0 | 0 | 5500 | 330 | 5500 |
| 97 | 10A Modular type bell push Anchor Roma | each | 1 | 98 | 0 | 98 | 0 | 0 | 0 | 4500 | 98 | 4500 |
| 98 | RJ11 telephone socket with PVC box (Modular type) Anchor Roma | each | 1 | 110 | 0 | 110 | 0 | 0 | 0 | 3500 | 110 | 3500 |
| 99 | TV C coaxial socket with PVC box (Modular type) Anchor Roma | each | 1 | 110 | 0 | 110 | 0 | 0 | 0 | 2800 | 110 | 2800 |
| 100 | 5 pin 20A power socket Anchor Roma | each | 1 | 180 | 0 | 180 | 0 | 0 | 0 | 2590 | 180 | 2590 |
| 101 | 5 pin 16A ordinary socket with box (With fuse unit) Newlike/Anchor | Each | 1 | 185 | 0 | 185 | 0 | 0 | 0 | 770 | 185 | 770 |
| 102 | 5 pin 16A ordinary socket with box (without fuse unit) Newlike/Anchor | each | 1 | 135 | 0 | 135 | 0 | 0 | 0 | 990 | 135 | 990 |
| 103 | PVC square box 4"x4" Harrison/Rajdhami | each | 1 | 15 | 0 | 15 | 0 | 0 | 0 | 1500 | 15 | 1500 |
| 104 | 2 plate ceiling rose Anchor | each | 1 | 22 | 0 | 22 | 0 | 0 | 0 | 1250 | 22 | 1250 |
| 105 | Angle holder (Heavy duty) Anchor | each | 1 | 30 | 0 | 30 | 0 | 0 | 0 | 990 | 30 | 990 |
| 106 | Batten Holder (Heavy Duty) Anchor | each | 1 | 30 | 0 | 30 | 0 | 0 | 0 | 990 | 30 | 990 |
| 107 | Pendent Holder (Heavy Duty) Anchor | each | 1 | 14 | 0 | 14 | 0 | 0 | 0 | 880 | 14 | 880 |
| 108 | "Wall bracket upward projection 230mm height 225mm finish-painted globe 360/400mm dia., glass milky/ frosted Philips" | each | 1 | 730 | 0 | 730 | 0 | 0 | 0 | 18900 | 730 | 18900 |
| 109 | "Wall bracket down lighter projection 160mm height 135mm width or base dia 320mm finish-painted glass frosted Philips" | each | 1 | 790 | 0 | 790 | 0 | 0 | 0 | 18900 | 790 | 18900 |
| 110 | Special drumlike dia 175 projection 115mm finish-painted Philips | each | 1 | 390 | 0 | 390 | 0 | 0 | 0 | 19500 | 390 | 19500 |
| 111 | LED Mirror light HPL/Orient/ polycab | each | 1 | 290 | 0 | 290 | 0 | 0 | 0 | 7700 | 290 | 7700 |
| 112 | Strip Rail 20 watt 2' Tube light frame: Surya/Philips/Anchor | each | 1 | 290 | 0 | 290 | 0 | 0 | 0 | 8800 | 290 | 8800 |
| 113 | Strip Rail 36 watt 4' Tube light frame: Surya/Philips/Anchor | each | 1 | 290 | 0 | 290 | 0 | 0 | 0 | 9900 | 290 | 9900 |
| 114 | Decorative box type 2' Tube light frame: Surya/Philips/Anchor | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8000 | 0 | 8000 |
| 115 | Decorative box type 4' Tube light frame: Surya/Philips/Anchor | each | 1 | 2250 | 0 | 2250 | 0 | 0 | 0 | 9900 | 2250 | 9900 |
| 116 | Industrial box 1x20 watt 2' Tube light frame: Surya/Philips/Anchor | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 12800 | 0 | 12800 |
| 117 | Industrial box 1x36 watt 4' Tube light frame: Surya/Philips/Anchor | each | 1 | 2250 | 0 | 2250 | 0 | 0 | 0 | 12900 | 2250 | 12900 |

| | | | | | | | | | | | |
|-----|---|------|---|------|---|------|---|---|-------|------|-------|
| 132 | LED Streetlight IP66 45 watts Endura city linear UBer, aesthetically designed pressure die cast aluminium housing with top opening cover. 130 lumen/watt reverse EMI protection provided/over voltage upto 300V/surge protection upto 6KV suitable for 64mm dia Havells | each | 1 | 4900 | 0 | 4900 | 0 | 0 | 17500 | 4900 | 17500 |
| 133 | Floodlight 100W white Havells | each | 1 | 4600 | 0 | 4600 | 0 | 0 | 12900 | 4600 | 12900 |
| 134 | Floodlight 50W white Havells | each | 1 | 3300 | 0 | 3300 | 0 | 0 | 13500 | 3300 | 13500 |
| 135 | 15 watts CFL Compact fluorescent lamp(CFL) Havells/Surya | each | 1 | 245 | 0 | 245 | 0 | 0 | 9900 | 245 | 9900 |
| 136 | 20 watts CFL Compact fluorescent lamp(CFL) Havells/Surya | each | 1 | 280 | 0 | 280 | 0 | 0 | 7600 | 280 | 7600 |
| 137 | 25 watts CFL Compact fluorescent lamp(CFL) Havells/Surya | each | 1 | 335 | 0 | 335 | 0 | 0 | 6900 | 335 | 6900 |
| 138 | 45 watts CFL Compact fluorescent lamp(CFL) Havells/Surya | each | 1 | 570 | 0 | 570 | 0 | 0 | 7600 | 570 | 7600 |
| 139 | 60 watts CFL Compact fluorescent lamp(CFL) | each | 1 | 775 | 0 | 775 | 0 | 0 | 8890 | 775 | 8890 |
| 140 | 5 watts LED bulb HPL/Orient/ polycab | each | 1 | 120 | 0 | 120 | 0 | 0 | 6600 | 120 | 6600 |
| 141 | 7 watts LED bulb HPL/Orient/ polycab | each | 1 | 130 | 0 | 130 | 0 | 0 | 1500 | 130 | 1500 |
| 142 | 9 watts LED bulb HPL/Orient/ polycab | each | 1 | 160 | 0 | 160 | 0 | 0 | 1250 | 160 | 1250 |
| 143 | 12 watts LED bulb HPL/Orient/ polycab | each | 1 | 245 | 0 | 245 | 0 | 0 | 1350 | 245 | 1350 |
| 144 | 20 watts LED bulb HPL/Orient/ polycab | each | 1 | 430 | 0 | 430 | 0 | 0 | 1350 | 430 | 1350 |
| 145 | 30 watts LED bulb HPL/Orient/ polycab | each | 1 | 670 | 0 | 670 | 0 | 0 | 1450 | 670 | 1450 |
| 146 | 30 watts LED Thread type bulb HPL/Orient/ polycab | each | 1 | 735 | 0 | 735 | 0 | 0 | 1850 | 735 | 1850 |
| 147 | 45 watts LED Thread type bulb HPL/Orient/ polycab | each | 1 | 930 | 0 | 930 | 0 | 0 | 2950 | 930 | 2950 |
| 148 | TL lamp 20 watts 2' Fluorescent lamp Surya/Philips/Anchor | each | 1 | 46 | 0 | 46 | 0 | 0 | 3500 | 46 | 3500 |
| 149 | TL lamp 36 watts 4' Fluorescent lamp Surya/Philips/Anchor | each | 1 | 46 | 0 | 46 | 0 | 0 | 4500 | 46 | 4500 |
| 150 | LED Tubelight 9 watts 4' Fluorescent lamp HPL/Orient/ polycab | each | 1 | 390 | 0 | 390 | 0 | 0 | 3500 | 390 | 3500 |
| 176 | SP 10A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 155 | 0 | 155 | 0 | 0 | 175 | 155 | 175 |
| 177 | SP 16A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 155 | 0 | 155 | 0 | 0 | 165 | 155 | 165 |
| 178 | DP 32A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 645 | 0 | 645 | 0 | 0 | 990 | 645 | 990 |
| 179 | DP 40A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 940 | 0 | 940 | 0 | 0 | 1475 | 940 | 1475 |
| 180 | DP 63A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 1135 | 0 | 1135 | 0 | 0 | 5790 | 1135 | 5790 |
| 181 | 4P 32A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 1390 | 0 | 1390 | 0 | 0 | 1890 | 1390 | 1890 |
| 182 | 4P 40A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 1575 | 0 | 1575 | 0 | 0 | 1890 | 1575 | 1890 |
| 183 | 4P 63A MCB Miniature Circuit Breaker (MCB) Havells | each | 1 | 1835 | 0 | 1835 | 0 | 0 | 3500 | 1835 | 3500 |
| 184 | 24hrs/24hrs Digital Timer switch Havells | each | 1 | 0 | 0 | 0 | 0 | 0 | 3600 | 0 | 3600 |

| | | | | | | | | | | | | | | |
|-----|---|------|---|-------|---|---|-------|---|---|---|---|-------|-------|-------|
| 185 | 7days/24hrs Digital Timer switch Havells | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4700 | 0 | 4700 |
| 186 | 40A DP Contactor Digital Timer switch Havells | each | 1 | 13000 | 0 | 0 | 13000 | 0 | 0 | 0 | 0 | 5500 | 13000 | 5500 |
| 187 | 63A DP Contactor Digital Timer switch Havells | each | 1 | 13900 | 0 | 0 | 13900 | 0 | 0 | 0 | 0 | 6700 | 13900 | 6700 |
| 188 | DP sensitivity 30mA 32A Residual Current Circuit Breaker(RCCB) Havells | each | 1 | 3300 | 0 | 0 | 3300 | 0 | 0 | 0 | 0 | 4600 | 3300 | 4600 |
| 189 | DP sensitivity 30mA 40A Residual Current Circuit Breaker(RCCB) Havells | each | 1 | 3600 | 0 | 0 | 3600 | 0 | 0 | 0 | 0 | 3890 | 3600 | 3890 |
| 190 | DP sensitivity 30mA 63A Residual Current Circuit Breaker(RCCB) Havells | each | 1 | 3900 | 0 | 0 | 3900 | 0 | 0 | 0 | 0 | 3900 | 3900 | 3900 |
| 191 | 4P sensitivity 100mA 32A Residual Current Circuit Breaker(RCCB) Havells | each | 1 | 4400 | 0 | 0 | 4400 | 0 | 0 | 0 | 0 | 4500 | 4400 | 4500 |
| 192 | 4P sensitivity 100mA 40A Residual Current Circuit Breaker(RCCB) Havells | each | 1 | 4400 | 0 | 0 | 4400 | 0 | 0 | 0 | 0 | 4390 | 4400 | 4390 |
| 193 | 4P sensitivity 100mA 63A Residual Current Circuit Breaker(RCCB) Havells | each | 1 | 4800 | 0 | 0 | 4800 | 0 | 0 | 0 | 0 | 4450 | 4800 | 4450 |
| 194 | 2 ways SPN Distribution board with metal door: Havells | each | 1 | 180 | 0 | 0 | 180 | 0 | 0 | 0 | 0 | 890 | 180 | 890 |
| 195 | 4 ways SPN Distribution board with metal door: Havells | each | 1 | 380 | 0 | 0 | 380 | 0 | 0 | 0 | 0 | 1890 | 380 | 1890 |
| 196 | 6 ways SPN Distribution board with metal door: Havells | each | 1 | 460 | 0 | 0 | 460 | 0 | 0 | 0 | 0 | 1790 | 460 | 1790 |
| 197 | 8 ways SPN Distribution board with metal door: Havells | each | 1 | 540 | 0 | 0 | 540 | 0 | 0 | 0 | 0 | 1950 | 540 | 1950 |
| 198 | 12 ways SPN Distribution board with metal door: Havells | each | 1 | 720 | 0 | 0 | 720 | 0 | 0 | 0 | 0 | 2790 | 720 | 2790 |
| 199 | 16 ways SPN Distribution board with metal door: Havells | each | 1 | 855 | 0 | 0 | 855 | 0 | 0 | 0 | 0 | 3790 | 855 | 3790 |
| 200 | 4 ways TPN Distribution board with metal door: Havells | each | 1 | 1285 | 0 | 0 | 1285 | 0 | 0 | 0 | 0 | 3890 | 1285 | 3890 |
| 201 | 6 ways TPN Distribution board with metal door: Havells | each | 1 | 1530 | 0 | 0 | 1530 | 0 | 0 | 0 | 0 | 4800 | 1530 | 4800 |
| 202 | 8 ways TPN Distribution board with metal door: Havells | each | 1 | 1845 | 0 | 0 | 1845 | 0 | 0 | 0 | 0 | 5500 | 1845 | 5500 |
| 203 | 12 ways TPN Distribution board with metal door: Havells | each | 1 | 2600 | 0 | 0 | 2600 | 0 | 0 | 0 | 0 | 8800 | 2600 | 8800 |
| 204 | 16 ways TPN Distribution board with metal door: Havells | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8900 | 0 | 8900 |
| 205 | GI Earth plate 300x300x6mm | each | 1 | 330 | 0 | 0 | 330 | 0 | 0 | 0 | 0 | 3300 | 330 | 3300 |
| 206 | GI Earth plate 600x600x6mm | each | 1 | 1150 | 0 | 0 | 1150 | 0 | 0 | 0 | 0 | 5500 | 1150 | 5500 |
| 207 | Copper earth plate 300x300x3mm | each | 1 | 4900 | 0 | 0 | 4900 | 0 | 0 | 0 | 0 | 7800 | 4900 | 7800 |
| 208 | Copper earth plate 600x600x3mm | each | 1 | 6600 | 0 | 0 | 6600 | 0 | 0 | 0 | 0 | 17500 | 6600 | 17500 |
| 209 | 4.06 mm dia(8SWG) GI wire | m | 1 | 10 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 18900 | 10 | 18900 |
| 210 | 4.06mm dia (8SWG) Copper wire | m | 1 | 90 | 0 | 0 | 90 | 0 | 0 | 0 | 0 | 1200 | 90 | 1200 |
| 211 | 15mm dia GI pipe | m | 1 | 255 | 0 | 0 | 255 | 0 | 0 | 0 | 0 | 3700 | 255 | 3700 |
| 212 | Charcoal | KG | 1 | 22 | 0 | 0 | 22 | 0 | 0 | 0 | 0 | 290 | 22 | 290 |
| 213 | Salt | KG | 1 | 17 | 0 | 0 | 17 | 0 | 0 | 0 | 0 | 21 | 17 | 21 |
| 214 | CI cover | each | 1 | 5800 | 0 | 0 | 5800 | 0 | 0 | 0 | 0 | 3990 | 5800 | 3990 |
| 215 | 16A 4 ways Extension cords Gold-medal | each | 1 | 1850 | 0 | 0 | 1850 | 0 | 0 | 0 | 0 | 1200 | 1850 | 1200 |
| 216 | 16A round extension cord Anchor | each | 1 | 510 | 0 | 0 | 510 | 0 | 0 | 0 | 0 | 1200 | 510 | 1200 |

| | | | | | | | | | | | | |
|-----|---|------|---|------|---|------|---|---|---|--------|------|--------|
| 217 | 4 way power strip Anchor | each | 1 | 475 | 0 | 475 | 0 | 0 | 0 | 450 | 475 | 450 |
| 218 | 16A 3 pin plug top Anchor | each | 1 | 65 | 0 | 65 | 0 | 0 | 0 | 95 | 65 | 95 |
| 219 | 6A 3 pin plug top Anchor | each | 1 | 45 | 0 | 45 | 0 | 0 | 0 | 90 | 45 | 90 |
| 220 | 6A 2 pin plug top Anchor/Havells | each | 1 | 15 | 0 | 15 | 0 | 0 | 0 | 87 | 15 | 87 |
| 221 | Halogen heater 1200 watts 230V AC A2Z Tech | each | 1 | 1350 | 0 | 1350 | 0 | 0 | 0 | 4800 | 1350 | 4800 |
| 222 | Halogen heater 2000 watts 230 V AC 5 ways Ketak NSB 200B | each | 1 | 1850 | 0 | 1850 | 0 | 0 | 0 | 5600 | 1850 | 5600 |
| 223 | HMP1500 Mica panel heater Delonghi | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9900 | 0 | 9900 |
| 224 | DAX-3502 Amplifier PA SYSTEM ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 59900 | 0 | 59900 |
| 225 | DAX-2502 Amplifier PA SYSTEM ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 49900 | 0 | 49900 |
| 226 | AMX-1412 mixer PA SYSTEM ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 26700 | 0 | 26700 |
| 227 | PMX-1632FX mixer PA SYSTEM ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 28900 | 0 | 28900 |
| 228 | MGP16x mixer PA SYSTEM ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 69000 | 0 | 69000 |
| 229 | AWM-7000U2 Cordless mic PA SYSTEM ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 12800 | 0 | 12800 |
| 230 | Speakon Connector PA SYSTEM | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 250 | 0 | 250 |
| 231 | 3.5mm to 2-Male RCA Adapter cable 10 feet | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2800 | 0 | 2800 |
| 232 | F/XLR to M/XLR cable 10m | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1950 | 0 | 1950 |
| 233 | F/XLR to M/XLR cable 0.5m | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2800 | 0 | 2800 |
| 234 | Pencil battery AAA (small) Duracel | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 95 | 0 | 95 |
| 235 | Heavy duty battery 1.5 V Duracel | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 180 | 0 | 180 |
| 236 | Heavy duty battery 9V Duracel | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 350 | 0 | 350 |
| 237 | Pencil battery AAA (small) Everyday | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 28 |
| 238 | Heavy duty battery 1.5 V Everyday | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 36 | 0 | 36 |
| 239 | Heavy duty battery 9V Everyday | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 150 | 0 | 150 |
| 240 | 1/4" TRS stereo cable | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1890 | 0 | 1890 |
| 241 | 1/4" TRS to 3.5mm phone jack | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2800 | 0 | 2800 |
| 242 | SPX-610 500W, 8ohm Speaker ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 29900 | 0 | 29900 |
| 243 | SPX-810 700W, 4 ohm Speaker ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 39900 | 0 | 39900 |
| 244 | 200W, 8ohm speaker ahuja | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 12500 | 0 | 12500 |
| 245 | Fluke IAC II VoltAlert Electrical Tester Fluke | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9900 | 0 | 9900 |
| 246 | Fluke 1621 Kit - Basic Earth Ground Tester Fluke | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 120900 | 0 | 120900 |
| 247 | Fluke 365 Detachable Jaw True RMS AC/DC Clamp Meter Fluke | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 19900 | 0 | 19900 |
| 248 | Megger VF2 Voltage Detector Megger | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 17500 | 0 | 17500 |
| 249 | 60W EU automatic send Tin Gun Electric Soldering Iron NEWACARL.OX | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 18900 | 0 | 18900 |
| 250 | Digital Earth Resistance Tester 4-wire ()-2000 Ohm (Megger) Megger Model no DET4TR2 | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 89000 | 0 | 89000 |

| | | | | | | | | | | | | |
|-----|---|--------|---|------|---|---|------|---|---|--------|------|--------|
| 251 | Digital Clamp - on meter AC / DC 0.750V AC CAT III,600V, 1000A PROTEK | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9800 | 0 | 9800 |
| 252 | Digital Insulation Resistance Tester,5KV EXT-ECN | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 28900 | 0 | 28900 |
| 253 | Hydraulic Hand Crimping tools 70-120 sqmm Model no B04368 | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 28900 | 0 | 28900 |
| 254 | Calibration Certificate Digital Multimeter (101 B + 40mA-10A AC current, 4000 counts) MECO | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 98000 | 0 | 98000 |
| 255 | Calibration Certificate Digital Multimeter (153B + TRMS, 20A AC current, 6000 counts) MECO | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 120000 | 0 | 120000 |
| 256 | Soldering lead | each | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 500 | 0 | 500 |
| 257 | Hacksaw blade double | each | 1 | 12 | 0 | 0 | 12 | 0 | 0 | 250 | 12 | 250 |
| 258 | Hacksaw blade single | each | 1 | 5 | 0 | 0 | 5 | 0 | 0 | 350 | 5 | 350 |
| 259 | Hacksaw frame | each | 1 | 175 | 0 | 0 | 175 | 0 | 0 | 1550 | 175 | 1550 |
| 260 | Claw hammer (Small) | each | 1 | 175 | 0 | 0 | 175 | 0 | 0 | 1200 | 175 | 1200 |
| 261 | Claw hammer (Heavy duty) | each | 1 | 240 | 0 | 0 | 240 | 0 | 0 | 1350 | 240 | 1350 |
| 262 | Screw Driver set Taparia | each | 1 | 195 | 0 | 0 | 195 | 0 | 0 | 1290 | 195 | 1290 |
| 263 | Neon tester Taparia | each | 1 | 45 | 0 | 0 | 45 | 0 | 0 | 1550 | 45 | 1550 |
| 264 | Combination plier(Medium) Taparia | each | 1 | 220 | 0 | 0 | 220 | 0 | 0 | 5500 | 220 | 5500 |
| 265 | Combination plier(Heavy duty) Taparia | each | 1 | 240 | 0 | 0 | 240 | 0 | 0 | 18900 | 240 | 18900 |
| 266 | Long nose plier Taparia | each | 1 | 220 | 0 | 0 | 220 | 0 | 0 | 1390 | 220 | 1390 |
| 267 | Side cutting plier Taparia | each | 1 | 220 | 0 | 0 | 220 | 0 | 0 | 5500 | 220 | 5500 |
| 268 | Wire stripper Taparia | each | 1 | 170 | 0 | 0 | 170 | 0 | 0 | 790 | 170 | 790 |
| 269 | Nails | kg | 1 | 66 | 0 | 0 | 66 | 0 | 0 | 0 | 66 | 0 |
| 270 | 5 mtrs measuring tape | each | 1 | 130 | 0 | 0 | 130 | 0 | 0 | 990 | 130 | 990 |
| 271 | Chicken wire mesh | m | 1 | 120 | 0 | 0 | 120 | 0 | 0 | 7900 | 120 | 7900 |
| 272 | Hinge 75mm | each | 1 | 15 | 0 | 0 | 15 | 0 | 0 | 3500 | 15 | 3500 |
| 273 | Hinge 100mm | each | 1 | 22 | 0 | 0 | 22 | 0 | 0 | 2800 | 22 | 2800 |
| 274 | Handle 75mm | each | 1 | 25 | 0 | 0 | 25 | 0 | 0 | 3200 | 25 | 3200 |
| 275 | Spirit level | each | 1 | 275 | 0 | 0 | 275 | 0 | 0 | 8900 | 275 | 8900 |
| 276 | Drilling machine GSB 500W 500 RE Tool Set (Blue) Bosch | each | 1 | 5800 | 0 | 0 | 5800 | 0 | 0 | 9800 | 5800 | 9800 |
| 277 | Concrete drill bit set | set | 1 | 1350 | 0 | 0 | 1350 | 0 | 0 | 3990 | 1350 | 3990 |
| 278 | Wooden drill bit set | set | 1 | 1350 | 0 | 0 | 1350 | 0 | 0 | 2699 | 1350 | 2699 |
| 279 | soldering lead | packet | 1 | 270 | 0 | 0 | 270 | 0 | 0 | 450 | 270 | 450 |


 Jeffrey A. Edwards
 Page 3 of 3
 AE/DES.

Handwritten signature: *Handwritten signature*
 Bred de Hs
 Ae (Des)