

	RWSS Comparative Statement					
Sl.	Item Name & Description	Unit	Item No.	Winner	Estimated Amount (In Nu.)	
1	90mm x 3" Flange set, (IS 4984/87)	Nos	8	Pema Nordhen Enterprise	820	
2	4" x 45degree GI bend, (IS 1879:1987)	Nos	16	Pema Nordhen Enterprise	955	
3	4"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	24	Vasudha Enterprise	340	
4	11/2" x1" GI Reducer, (IS 1879-1987)	Nos	32	Vasudha Enterprise	120	
5	3" GI tee"s equal, (IS 1879-1987)	Nos	40	Vasudha Enterprise	680	
6	2" x 2" x 1/2" GI tee"s equal, (IS 1879-1987)	Nos	48	Vasudha Enterprise	280	
7	1"GI unions, (IS 1879-1987)	Nos	56	PAWAN ENTERPRISE	150	
8	11/2" Brass Glove valve, (Class 1,1.5 Mpa IS 778-84)	Nos	64	PAWAN ENTERPRISE	680	
9	1/2" Float Valve, (Copper or brass made. Min.wt...+20gms, -0 gm see attached PHED drawing for detail specification.)	Nos	72	SANGAY SALES	1328	
10	GI threaded flange single 2", (Class 1,1.5 Mpa IS 778-84)	Nos	80	Pema Nordhen Enterprise	290	
11	Grease, in ½ kg pot, (½ kg bundle packet in plastic)	Nos	88	PAWAN ENTERPRISE	280	
12	Nails 5", Galvanised wire nails sharpened	Nos	96	PAWAN ENTERPRISE	80	
13	Rebar 12mm, equivalent to TATA steel bars or higher quality , IS:1786/1985,GradeFE415,TOR	Nos	104	CHIMI JAMYANG ENTERPRISE	74	
14	2.5' x 6' CGI sheet, IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg	Nos	112	Vasudha Enterprise	590	
15	Wires,GI binding, Guage 22 SWG in roll of 1kg	Nos	120	CHIMI JAMYANG ENTERPRISE	105	
16	Blade, hacksaw single side, Hacksaw blade single sided	Nos	128	SANGAY SALES	8	
17	Stone chisel 1 ½", 135mm one side sharp point	Nos	136	Vasudha Enterprise	290	
18	Headpan 18", Mortar pan 18"	Nos	144	PAWAN ENTERPRISE	150	
19	Teflon cover, For 125mm heating plate	Nos	152	Vasudha Enterprise	150	
20	Wrench, pipe 12", Suppliers to provide complete specification	Nos	160	SANGAY SALES	334	
21	Wrench slide 15", Suppliers to provide complete specification	Nos	168	Vasudha Enterprise	365	
22	Die bit 1 1/2", Suppliers to provide complete specification	Nos	176	Pema Nordhen Enterprise	450	
23	CI manhole cover 500 x 500mm, As per the attached PHE drawings and specification	Nos	185	PAWAN ENTERPRISE	2100	
24	Cp stop cock ½", Size 15mm,,,,,, Colour silver Coating Chrome	Nos	193	PAWAN ENTERPRISE	450	
25	Corded Circular saw, Bosch,GKS 85 G-Circular saw 2.200 watt, blade diameter	Nos	201	CHIMI JAMYANG ENTERPRISE	7800	
26	CPVC Pipe Cutter, LIR 70801 - IMAGING CLAMP METER CM275	Nos	209	Vasudha Enterprise	650	
27	20mm GI pipe both end threaded 15cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	218	CHIMI JAMYANG ENTERPRISE	40	
28	20mm GI pipe both end threaded 20cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	226	CHIMI JAMYANG ENTERPRISE	40	
29	20mm GI pipe both end threaded 25cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	234	Pema Nordhen Enterprise	70	

30	3" GI pipe,Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	2	CHIMI JAMYANG ENTERPRISE	5460
31	50mm x 11/2" Flange set, (IS 4984/87)	Nos	10	Pema Nordhen Enterprise	395
32	4" GI elbow, (IS 1879:1987)	Nos	18	Vasudha Enterprise	855
33	2"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	26	SANGAY SALES	80
34	1" x 1/2" GI Reducer, (IS 1879-1987)	Nos	34	Vasudha Enterprise	50
35	11/2" GI tee"s equal, (IS 1879-1987)	Nos	42	Vasudha Enterprise	195
36	11/2" x 11/2" x 1/2" GI tee"s equal, (IS 1879-1987)	Nos	50	Vasudha Enterprise	190
37	3" Brass Gate valve, (Class 1,1.5 Mpa IS 778-84)	Nos	58	Vasudha Enterprise	4750
38	Regulating Valve key, (As per PHE drawings and sample)	Nos	66	Vasudha Enterprise	65
39	3" Valve box with endcap, (GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHEnon-standard drawing and sample)	Nos	74	Vasudha Enterprise	1550
40	110mm PVC pipe, (Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	82	CHIMI JAMYANG ENTERPRISE	620
41	Lock and key 2", (Heavy duty with 3 keys)	Nos	90	Vasudha Enterprise	65
42	nail 1", Galvanised wire nails sharpened	Nos	98	Vasudha Enterprise	82
43	Rebar20mm, equivalent to TATA steel bars or higher quality , IS:1786/1985,GradeFE415,TOR	Nos	106	CHIMI JAMYANG ENTERPRISE	74
44	Hessain jute, 7.5 oz width 90cm,min roll of 30m	Nos	114	NEWAR ENTERPRISE	50
45	wire mesh, 2.5 square openin. In roll of 20m	Nos	122	Vasudha Enterprise	265
46	Steel wire brush, Bristle Length 1 - 2 inch, Brush Size 11 - 15 inch,	Nos	130	SANGAY SALES	55
47	Crow bar 32mm, Material : Carbon Steel for masonry construction. 1.5meters long.heavy	Nos	138	PAWAN ENTERPRISE	1050
48	Line, mason, 100g per roll	Nos	146	Vasudha Enterprise	45
49	Tin cutter	Nos	154	NEWAR ENTERPRISE	350
50	Pipe chain vise 3"	Nos	162	CHIMI JAMYANG ENTERPRISE	1300
51	Portable vice set, Suppliers to provide complete specification	Nos	170	Vasudha Enterprise	1875
52	Die bit 1/2", Suppliers to provide complete specification	Nos	178	Pema Nordhen Enterprise	200
53	HDP sintex tank 2000 l capacity, Rabten or their equivalent, water storage made in Bhutan	Nos	187	SANGAY SALES	13600
54	Cp pillar cock ½"Size 15mm,,,,,, Colour silver Coating Chrome	Nos	195	PAWAN ENTERPRISE	580
55	GPS, Hand Held	Nos	203	DRUK WANGMO SUPPLIER	13765

56	½"GI pipe,Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	6	CHIMI JAMYANG ENTERPRISE	865
57	Brass Union,20mmx 1/2", (SP-57-1991)	Nos	14	SANGAY SALES	306
58	1" GI elbow, (IS 1879:1987)	Nos	22	Vasudha Enterprise	65
59	3" x 2" GI Reducer, (IS 1879-1987)	Nos	30	Vasudha Enterprise	398
60	1" GI Sockets, (IS 1879-1987)	Nos	38	PAWAN ENTERPRISE	60
61	3" x3" x1/2" GI tee's equal, (IS 1879-1987)	Nos	46	Vasudha Enterprise	680
62	2"GI unions, (IS 1879-1987)	Nos	54	PAWAN ENTERPRISE	350
63	1" Brass Glove valve, (Class 1,1.5 Mpa IS 778-84)	Nos	62	Pema Nordhen Enterprise	700
64	11/2" Float Valve , (Copper or brass made. Min.wt...+20gms, -0 gm see attached PHED drawing for detail specification.)	Nos	70	PAWAN ENTERPRISE	3200
65	1 1/2" Valve box key with 3 points, (As per PHE drawing and sample)	Nos	78	Vasudha Enterprise	250
66	Bulldog grip 13mm, (IS2361:1994)	Nos	86	Vasudha Enterprise	45
67	Nails U, Galvanised wire nails sharpened	Nos	94	PAWAN ENTERPRISE	100
68	Rebar 8mm, equivalent to TATA steel bars or higher quality ,IS: 1786/1985,GradeFE415,TOR	Nos	102	CHIMI JAMYANG ENTERPRISE	74
69	2440mm x840mm x0.63mm CGI sheets, IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg	Nos	110	CHIMI JAMYANG ENTERPRISE	800
70	Bitumen washer, 200/pkt, bsb approved brand	Nos	118	NEWAR ENTERPRISE	20
71	Fibre glass WC pan with P trap, 520x435x180mm ISO9001: 2018	Nos	126	PAWAN ENTERPRISE	550
72	Brush, lime 5", Size 5" Thickness 22mm Length out 70mm	Nos	134	CHIMI JAMYANG ENTERPRISE	55
73	Hammer, Mason 1/2kg, Mason Hammer 1/2kg one side sharp	Nos	142	NEWAR ENTERPRISE	280
74	Measuring tap, Metal 10m length scale in cm and inches	Nos	150	CHIMI JAMYANG ENTERPRISE	165
75	Trowel masonry 2" x 5"	Nos	158	CHIMI JAMYANG ENTERPRISE	45
76	Wrench pipe 18, Suppliers to provide complete specification	Nos	166	Vasudha Enterprise	565
77	Die bit 3", Suppliers to provide complete specification	Nos	174	PAWAN ENTERPRISE	1200
78	Pipe cutter 1/8" to 2", Suppliers to provide complete specification	Nos	183	CHIMI JAMYANG ENTERPRISE	1600
79	Steel bib cock ½", Size 15mm,,,,,, Colour silver Coating Chrome	Nos	191	PAWAN ENTERPRISE	450
80	Electric Planner Machine Bosch), GH0 40-82 C- Planner 850 W , Planning width 82mm	Nos	199	PAWAN ENTERPRISE	8000
81	Crimping Machine, WIHA 45223 - AUTOMATIC CRIMP TOOL FOR WIRE-END SLEEVES SQUARE CRIMPING WITH ROTATING CRIMPING HEAD	Nos	207	Vasudha Enterprise	16500
82	32mm GI pipe both end threaded 15cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	216	SANGAY SALES	72

83	4" GI pipe, Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	1	Vasudha Enterprise	7935
84	63mm x 2" Flange set, (IS 4984/87)	Nos	9	Pema Nordhen Enterprise	510
85	3" x 45degree GI bend, (IS 1879:1987)	Nos	17	Pema Nordhen Enterprise	575
86	3"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	25	Vasudha Enterprise	220
87	1 1/2" x 1/2" GI Reducer, (IS 1879-1987)	Nos	33	Vasudha Enterprise	120
88	2" GI tee"s equal, (IS 1879-1987)	Nos	41	Vasudha Enterprise	290
89	1 1/2" x 1 1/2" x 3/4" GI tee"s equal, (IS 1879-1987)	Nos	49	Vasudha Enterprise	195
90	1/2"GI unions, (IS 1879-1987)	Nos	57	PAWAN ENTERPRISE	80
91	1/2" Tapstand regulating valve set, (Class 1,1.5 Mpa IS 778-84)	Nos	65	Vasudha Enterprise	540
92	4" Valve box with endcap, (GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHEnon-standard drawing and sample)	Nos	73	Vasudha Enterprise	1750
93	200mm PVC pipe, (Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	81	WOEZER ENTERPRISE	2500
94	Hemp, (IS 508:1987 wheel bearing grease, re-sealable pots)	Nos	89	NEWAR ENTERPRISE	650
95	nail 6", Galvanised wire nails sharpened	Nos	97	PAWAN ENTERPRISE	80
96	Rebar16mm, equivalent to TATA steel bars or higher quality , IS:1786/1985,GradeFE415,TOR	Nos	105	CHIMI JAMYANG ENTERPRISE	74
97	2.5' x 9' CGI sheet, IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg	Nos	113	Vasudha Enterprise	840
98	Wire mesh 2mm, 2.5 square openin. In roll of 20m	Nos	121	Vasudha Enterprise	195
99	Blade, hacksaw double side	Nos	129	CHIMI JAMYANG ENTERPRISE	15
100	Crowbar 3/4 x 54", Material : Carbon Steel for masonry construction. 1.5meters long.heavy	Nos	137	CHIMI JAMYANG ENTERPRISE	750
101	Heating plate, As per sample, round dia 125mm, thickness 12mm, handle 420mm with insulating grip, Brand: deek's firefly	Nos	145	CHIMI JAMYANG ENTERPRISE	350
102	Thermochrome crayon, Indicating 200 degree celcus import quality. Approve brands: faber castle (Indian made)	Nos	153	Vasudha Enterprise	250
103	Pipe chain wise 4"	Nos	161	CHIMI JAMYANG ENTERPRISE	1795
104	Pipe bending machine, Suppliers to provide complete specification	Nos	169	WOEZER ENTERPRISE	145000
105	Die bit 1", Suppliers to provide complete specification	Nos	177	Pema Nordhen Enterprise	250
106	HDP sintex tank 3000 l capacity, Rabten or their equivalent, water storage made in Bhutan	Nos	186	SANGAY SALES	20400
107	Cp angle valve 1/2", Size 15mm,,,,,, Colour silver Coating Chrome	Nos	194	PAWAN ENTERPRISE	450

108	11/2" GI pipe, Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	4	Vasudha Enterprise	2320
109	Brass Union, 50mm x 11/2", (SP-57-1991)	Nos	12	PAWAN ENTERPRISE	980
110	2" GI elbow, (IS 1879:1987)	Nos	20	Vasudha Enterprise	225
111	1" GI nipple, (Length is 10cm tolerance +0cm, -2cm, IS 1879-1987)	Nos	28	SANGAY SALES	36
112	2" GI Sockets, (IS 1879-1987)	Nos	36	PAWAN ENTERPRISE	130
113	1/2" GI tee's equal, (IS 1879-1987)	Nos	44	PAWAN ENTERPRISE	45
114	1" x 1" x 1/2" GI tee's equal, (IS 1879-1987)	Nos	52	Vasudha Enterprise	100
115	11/2" Brass Gate valve, (Class 1, 1.5 Mpa IS 778-84)	Nos	60	PAWAN ENTERPRISE	1700
116	Brass Tap 1/2", (brass material, with T type head, 15mm thickness. Heavy Duty)	Nos	68	PAWAN ENTERPRISE	290
117	2" Valve box with endcap, (GI pipe of medium duty, burrs removed, cut edges smoothed with file or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample)	Nos	76	Vasudha Enterprise	1450
118	100mm PVC pipe long 3m, (Grey, 10-15mm Thickness. Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	84	Pema Nordhen Enterprise	795
119	Nails 3", Galvanized wire nails sharpened	Nos	92	PAWAN ENTERPRISE	80
120	Perforated GI plate, As per PHE drawing & specification	Nos	100	WOEZER ENTERPRISE	4500
121	Aluminium Screw 1" [200 pcs], BSB, ISI approved Brand	Nos	108	WOEZER ENTERPRISE	5
122	Plastic sheet for spring protection, Thickness 0.0625mm width 90cm, double sheet in rolls of 30m	Nos	116	Vasudha Enterprise	65
123	Wire, plain gauge, 8 SWG with light galvanized coating. In rolls of 40kg, weight tolerance of +3kg, -0kg	Nos	124	Vasudha Enterprise	145
124	Brush, paint 3", Size 3" Thickness 19mm Length out 63mm	Nos	132	Pema Nordhen Enterprise	45
125	File, half round, steel, 10", Course 150mm both side 250mm long	Nos	140	Vasudha Enterprise	95
126	Pliers 8", IS 273: 1990	Nos	148	CHIMI JAMYANG ENTERPRISE	245
127	Plumber tool box, As per PHE Sample, 60 x 20 x 18cm gauge 19 SWG, painted, double hinge with reinforcement on inside.	Nos	156	SANGAY SALES	1775
128	Wrench, pipe 36", Suppliers to provide complete specification	Nos	164	Vasudha Enterprise	2600
129	Die set 1 1/4" to 2" (ratchet), Suppliers to provide complete specification	Nos	172	CHIMI JAMYANG ENTERPRISE	3980
130	Die brush 1", Suppliers to provide complete specification	Nos	181	Vasudha Enterprise	1980
131	HDP sintex tank 500 l capacity, Rabten or their equivalent, water storage made in Bhutan	Nos	189	SANGAY SALES	3400
132	Plyboard 4mm 8" x 4", Thickness 4mm- 27mm, Tolerance +0.5 mm	Nos	197	CHIMI JAMYANG ENTERPRISE	385
133	100mm GI pipe both end threaded 15cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	212	NEWAR ENTERPRISE	300

134	100mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	220	NEWAR ENTERPRISE	400	
135	100mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	228	NEWAR ENTERPRISE	500	
136	100mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	236	NEWAR ENTERPRISE	600	
137	100mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	244	NEWAR ENTERPRISE	700	
138	100mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	252	NEWAR ENTERPRISE	800	
139	100mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	260	NEWAR ENTERPRISE	900	
140	75mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	268	NEWAR ENTERPRISE	800	
141	40mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	276	SANGAY SALES	390	
142	40mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	284	SANGAY SALES	420	
143	40mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	292	SANGAY SALES	480	
144	40mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	300	Pema Nordhen Enterprise	645	
145	40mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	308	Pema Nordhen Enterprise	705	
146	40mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	316	Pema Nordhen Enterprise	735	
147	40mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	324	Pema Nordhen Enterprise	765	
148	40mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	332	Pema Nordhen Enterprise	825	
149	40mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	340	Pema Nordhen Enterprise	855	
150	40mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	348	Pema Nordhen Enterprise	945	
151	40mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	356	Pema Nordhen Enterprise	1005	
152	40mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	364	Pema Nordhen Enterprise	1035	
153	40mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	372	Pema Nordhen Enterprise	975	
154	40mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	380	Pema Nordhen Enterprise	1065	
155	Router Machine, BOSCH 0601626000 - GOF 1250 CE - VERTICAL ROUTER 1.250 W, 10.000 - 24.000 RPM	Nos	202	Vasudha Enterprise	6800	
156	Heating Plate 300mm, As per PHED Drawings	Nos	210	CHIMI JAMYANG ENTERPRISE	1250	

157	15mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	219	PAWAN ENTERPRISE	35	
158	15mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	227	Pema Nordhen Enterprise	48	
159	15mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	235	Pema Nordhen Enterprise	60	
160	15mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	243	Pema Nordhen Enterprise	72	
161	15mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	251	Pema Nordhen Enterprise	84	
162	15mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	259	Pema Nordhen Enterprise	96	
163	100mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	267	NEWAR ENTERPRISE	1000	
164	50mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	275	SANGAY SALES	520	
165	50mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	283	SANGAY SALES	560	
166	50mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	291	SANGAY SALES	640	
167	50mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	299	Pema Nordhen Enterprise	860	
168	50mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	307	CHIMI JAMYANG ENTERPRISE	890	
169	50mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	315	Pema Nordhen Enterprise	980	
170	50mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	323	Pema Nordhen Enterprise	1020	
171	50mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	331	Pema Nordhen Enterprise	1100	
172	50mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	339	Pema Nordhen Enterprise	1140	
173	50mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	347	Pema Nordhen Enterprise	1260	
174	50mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	355	CHIMI JAMYANG ENTERPRISE	1200	
175	50mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	363	CHIMI JAMYANG ENTERPRISE	1350	
176	50mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	371	CHIMI JAMYANG ENTERPRISE	1285	
177	2" GI pipe, Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	3	PAWAN ENTERPRISE	3000	

178	Brass Union,63mmx 2", (SP-57-1991)	Nos	11	PAWAN ENTERPRISE	1050
179	3" GI elbow, (IS 1879:1987)	Nos	19	Vasudha Enterprise	575
180	11/2"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	27	SANGAY SALES	60
181	3" GI Sockets, (IS 1879-1987)	Nos	35	Vasudha Enterprise	360
182	1" GI tee"s equal, (IS 1879-1987)	Nos	43	Vasudha Enterprise	105
183	1" x 1" x 3/4" GI tee"s equal, (IS 1879-1987)	Nos	51	Vasudha Enterprise	100
184	2" Brass Gate valve, (Class 1,1.5 Mpa IS 778-84)	Nos	59	Pema Nordhen Enterprise	2420
185	Air releasing Valve 1/2", (Heavy duty 450gram brass, Male threading IS-781.with spare washer set)	Nos	67	Pema Nordhen Enterprise	800
186	2 1/2" Valve box with endcap, (GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHENon-standard drawing and sample)	Nos	75	PAWAN ENTERPRISE	1250
187	100mm PVC pipe, (Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	83	Pema Nordhen Enterprise	780
188	Lock and key 1 1/2", (Heavy duty with 3 keys)	Nos	91	Vasudha Enterprise	50
189	PrefebManhole cover & Slab, As per PHE drawing & specification	Nos	99	CHIMI JAMYANG ENTERPRISE	1850
190	Sand paper, 100 mm thickness	Nos	107	Vasudha Enterprise	5
191	Plastic sheet thin, Thickness 0.0625mm width 90cm, double sheet in rolls of 30m	Nos	115	Vasudha Enterprise	70
192	Wire mesh chicken, 23 SWG, hexagonal 15mm, 1 1/2" full twist, double string at side, width 1m. in rolls of 25m	Nos	123	Vasudha Enterprise	75
193	Brush, paint 4", Size 4", Thickness 20mm Lenght out 68mm,	Nos	131	Pema Nordhen Enterprise	60
194	File,flat, steel, 10mm, Course 150mm both side 250mm long	Nos	139	Vasudha Enterprise	70
195	Pickaxe standard size	Nos	147	CHIMI JAMYANG ENTERPRISE	350
196	RWSS caretaker tool box, As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside.	Nos	155	SANGAY SALES	1775
197	Bench vice 3"	Nos	163	SANGAY SALES	2053
198	Die set 2" to 3", Suppliers to provide complete specification	Nos	171	NEWAR ENTERPRISE	7800
199	Die brush 3", Suppliers to provide complete specification	Nos	179	Vasudha Enterprise	450
200	HDP sintex tank 1000 l capacity, Rabten or their equivalent, water storage made in Bhutan	Nos	188	SANGAY SALES	6800
201	Ms plate 6 x 5mm, ASTM A36 standard	Nos	196	Vasudha Enterprise	15700
202	32mm GI pipe both end threaded 20cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	224	CHIMI JAMYANG ENTERPRISE	85
203	32mm GI pipe both end threaded 25cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	232	CHIMI JAMYANG ENTERPRISE	95
204	32mm GI pipe both end threaded 30cm length tolerance +1cm, -0cm, IS 1879: 1987, SQCA approved branded	Nos	240	SANGAY SALES	144

205	32mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	248	SANGAY SALES	168	
206	32mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	256	SANGAY SALES	192	
207	32mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	264	SANGAY SALES	216	
208	25mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	272	Pema Nordhen Enterprise	160	
209	15mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	280	Pema Nordhen Enterprise	156	
210	15mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	288	Pema Nordhen Enterprise	168	
211	15mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	296	Pema Nordhen Enterprise	192	
212	15mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	304	Pema Nordhen Enterprise	258	
213	15mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	312	Pema Nordhen Enterprise	282	
214	15mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	320	Pema Nordhen Enterprise	294	
215	15mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	328	Pema Nordhen Enterprise	306	
216	15mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	336	Pema Nordhen Enterprise	330	
217	15mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	344	Pema Nordhen Enterprise	342	
218	15mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	352	Pema Nordhen Enterprise	378	
219	15mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	360	Pema Nordhen Enterprise	402	
220	15mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	368	Pema Nordhen Enterprise	414	
221	15mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	376	Pema Nordhen Enterprise	390	
222	15mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	384	Pema Nordhen Enterprise	426	
223	15mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	392	Pema Nordhen Enterprise	462	
224	Drilling machine Heavy duty, BOSCH 060119C801 - GSB 24-2 - IMPACT DRILL 1.100 W, Ø MASONRY HOLE 24/16 MM, Ø WOOD HOLE 40/25 MM	Nos	205	CHIMI JAMYANG ENTERPRISE	5800	
225	50mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	214	SANGAY SALES	120	
226	50mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	222	CHIMI JAMYANG ENTERPRISE	115	

227	50mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	230	CHIMI JAMYANG ENTERPRISE	145	
228	50mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	238	SANGAY SALES	240	
229	50mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	246	PAWAN ENTERPRISE	245	
230	50mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	254	PAWAN ENTERPRISE	260	
231	50mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	262	SANGAY SALES	360	
232	40mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	270	SANGAY SALES	300	
233	25mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	278	Pema Nordhen Enterprise	208	
234	25mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	286	Pema Nordhen Enterprise	224	
235	25mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	294	Pema Nordhen Enterprise	256	
236	25mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	302	Pema Nordhen Enterprise	344	
237	25mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	310	Pema Nordhen Enterprise	376	
238	25mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	318	Pema Nordhen Enterprise	392	
239	25mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	326	Pema Nordhen Enterprise	408	
240	25mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	334	Pema Nordhen Enterprise	440	
241	25mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	342	Pema Nordhen Enterprise	456	
242	25mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	350	Pema Nordhen Enterprise	504	
243	25mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	358	Pema Nordhen Enterprise	536	
244	25mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	366	Pema Nordhen Enterprise	552	
245	Jigsaw, BOSCH 0601517000 - GST 160 CE - JIGSAW 800 W, WOOD CUTTING DEPTH 160 MM, ALUMINUM CUTTING DEPTH 20 MM	Nos	204	Vasudha Enterprise	4745	
246	75mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	213	NEWAR ENTERPRISE	240	
247	75mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	221	CHIMI JAMYANG ENTERPRISE	125	
248	75mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	229	CHIMI JAMYANG ENTERPRISE	175	

249	75mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	237	NEWAR ENTERPRISE	480	
250	75mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	245	NEWAR ENTERPRISE	560	
251	75mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	253	NEWAR ENTERPRISE	640	
252	75mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	261	NEWAR ENTERPRISE	720	
253	50mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	269	SANGAY SALES	400	
254	32mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	277	SANGAY SALES	312	
255	32mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	285	SANGAY SALES	312	
256	32mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	293	SANGAY SALES	384	
257	32mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	301	Pema Nordhen Enterprise	516	
258	32mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	309	Pema Nordhen Enterprise	564	
259	32mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	317	Pema Nordhen Enterprise	588	
260	32mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	325	Pema Nordhen Enterprise	612	
261	32mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	333	Pema Nordhen Enterprise	660	
262	32mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	341	PAWAN ENTERPRISE	630	
263	32mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	349	Pema Nordhen Enterprise	756	
264	32mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	357	Pema Nordhen Enterprise	804	
265	32mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	365	SANGAY SALES	816	
266	32mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	373	Pema Nordhen Enterprise	780	
267	110mm x 4" Flange set, (IS 4984/87)	Nos	7	Pema Nordhen Enterprise	1100	
268	4" x 30degree GI bend, (IS 1879:1987)	Nos	15	Pema Nordhen Enterprise	965	
269	1/2" GI elbow, (IS 1879:1987)	Nos	23	Vasudha Enterprise	32	
270	2" x 1 1/2" GI Reducer, (IS 1879-1987)	Nos	31	Vasudha Enterprise	180	
271	1/2" GI Sockets, (IS 1879-1987)	Nos	39	Vasudha Enterprise	28	
272	2" x 2" x 3/4" GI tee's equal, (IS 1879-1987)	Nos	47	Vasudha Enterprise	290	
273	1 1/2" GI unions, (IS 1879-1987)	Nos	55	PAWAN ENTERPRISE	250	
274	1/2" Brass Glove valve, (Class 1, 1.5 Mpa IS 778-84)	Nos	63	Pema Nordhen Enterprise	400	

275	1" Float Valve, (Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification.)	Nos	71	Vasudha Enterprise	1950
276	1/2" Valve box key with 3 points, (As per PHE drawing and sample)	Nos	79	Vasudha Enterprise	250
277	Pipe joining compound in ½ kg pot, (Graphite joining compound for drinking water purpose. Re-sealable pots.)	Nos	87	Vasudha Enterprise	165
278	Nails 4", Galvanised wire nails sharpened	Nos	95	PAWAN ENTERPRISE	80
279	Rebar 10mm, equivalent to TATA steel bars or higher quality , IS:1786/1985,GradeFE415,TOR	Nos	103	CHIMI JAMYANG ENTERPRISE	74
280	2135mm x840mm x0.63mm CGI sheets, IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg	Nos	111	CHIMI JAMYANG ENTERPRISE	720
281	Barbed wire, Guage 12 SWG double wired, double barbed 90 degrees angle, every 10cm,galvanized (IS:278/1969). In roll of 30 kg weight tolerance +3kg , -0kg	Nos	119	TAM POULTRY EQUIPMENTS & GENERAL S	94
282	Door handle 4",brass made	Nos	127	Pema Nordhen Enterprise	62
283	Stone chisel 1", 135mm one side sharp point	Nos	135	NEWAR ENTERPRISE	170
284	Hammer,sledge 1 kg, sledge hammer 1 kg	Nos	143	CHIMI JAMYANG ENTERPRISE	225
285	Measuring tap, Metal 3m length scale in cm and inches	Nos	151	Vasudha Enterprise	75
286	Trowel masonry4" x 8"	Nos	159	CHIMI JAMYANG ENTERPRISE	65
287	Pipe wrench 14", Suppliers to provide complete specification	Nos	167	SANGAY SALES	395
288	Die bit 2", Suppliers to provide complete specification	Nos	175	PAWAN ENTERPRISE	850
289	Pipe cutter ½" to 2"Suppliers to provide complete specification	Nos	184	CHIMI JAMYANG ENTERPRISE	1500
290	Cp shower head 15mm,Size 15mm,,,,,, Colour silver Coating Chrome	Nos	192	NEWAR ENTERPRISE	650
291	Angle Grinder machine, Bosch GWS 7-115-Angle Grinding 720 watt,11.000rpm,115mm dia	Nos	200	CHIMI JAMYANG ENTERPRISE	2850
292	Multi meter, LIR 70801 - IMAGING CLAMP METER CM275	Nos	208	Vasudha Enterprise	1550
293	25mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	217	Pema Nordhen Enterprise	48
294	25mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	225	Pema Nordhen Enterprise	64
295	25mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	233	CHIMI JAMYANG ENTERPRISE	75
296	25mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	241	Pema Nordhen Enterprise	96
297	25mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	249	Pema Nordhen Enterprise	112
298	25mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	257	Pema Nordhen Enterprise	128
299	25mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	265	Pema Nordhen Enterprise	144
300	100mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	273	NEWAR ENTERPRISE	1300
301	100mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	281	NEWAR ENTERPRISE	1400

302	100mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	289	NEWAR ENTERPRISE	1600	
303	100mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	297	NEWAR ENTERPRISE	2200	
304	100mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	305	NEWAR ENTERPRISE	2400	
305	100mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	313	NEWAR ENTERPRISE	2500	
306	100mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	321	NEWAR ENTERPRISE	2600	
307	100mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	329	NEWAR ENTERPRISE	2800	
308	100mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	337	NEWAR ENTERPRISE	2900	
309	100mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	345	NEWAR ENTERPRISE	3200	
310	100mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	353	NEWAR ENTERPRISE	3400	
311	100mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	361	NEWAR ENTERPRISE	3500	
312	10mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	369	NEWAR ENTERPRISE	3300	
313	100mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	377	NEWAR ENTERPRISE	3600	
314	100mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	385	NEWAR ENTERPRISE	3900	
315	100mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	393	NEWAR ENTERPRISE	4000	
316	100mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	401	NEWAR ENTERPRISE	1800	
317	1"GI pipe,Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	5	CHIMI JAMYANG ENTERPRISE	1450	
318	Brass Union,32mmx 1", (SP-57-1991)	Nos	13	Vasudha Enterprise	575	
319	11/2" GI elbow, (IS 1879:1987)	Nos	21	Vasudha Enterprise	150	
320	1/2"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	29	PAWAN ENTERPRISE	25	
321	11/2" GI Sockets, (IS 1879-1987)	Nos	37	PAWAN ENTERPRISE	90	
322	3" x 3"x 3/4" GI tee"s equal, (IS 1879-1987)	Nos	45	Vasudha Enterprise	680	
323	3"GI unions, (IS 1879-1987)	Nos	53	Vasudha Enterprise	620	
324	1" Brass Gate valve, (Class 1,1.5 Mpa IS 778-84)	Nos	61	Vasudha Enterprise	955	
325	2" Float Valve, (Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification.)	Nos	69	PAWAN ENTERPRISE	3500	

326	2" Valve box key with 3 points, (As per PHE drawing and sample)	Nos	77	Vasudha Enterprise	250	
327	Jute cloth, (Jute fabric Plain, 30 Mtr)	Nos	85	WOEZER ENTERPRISE	60	
328	Nails 2", Galvanised wire nails sharpened	Nos	93	PAWAN ENTERPRISE	80	
329	Rebar 6mm, equivalent to TATA steel bars or higher quality ,IS: 1786/1985,GradeFE415,TOR	Nos	101	CHIMI JAMYANG ENTERPRISE	74	
330	2.5'X10' CGI sheets, IS277:1992(supplier to provide correct dimensions, wt & brand)	Nos	109	Vasudha Enterprise	930	
331	Washer, limpet 100/pkt, rubber bsb approved brand	Nos	117	SANGAY SALES	18	
332	Wire black binding, Guage 8 SWG with light galvanized coating . in rolls of 40kg,wt tolerance of +30kg, - 0kg	Nos	125	PAWAN ENTERPRISE	100	
333	Brush, paint 2", Size 2" Thckness 17mm Lenth out 56mm	Nos	133	Pema Nordhen Enterprise	30	
334	Hacksaw frame, Adjustable for 10"/12" blades	Nos	141	WOEZER ENTERPRISE	25	
335	Measuring tap, Metal 15m length scale in cm and inches	Nos	149	Vasudha Enterprise	210	
336	Mason tool box, As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside.	Nos	157	SANGAY SALES	1775	
337	Wrench pipe 24, Suppliers to provide complete specification	Nos	165	Vasudha Enterprise	995	
338	Die set ½" to 1" (ratchet), Suppliers to provide complete specification	Nos	173	CHIMI JAMYANG ENTERPRISE	1910	
339	Pipe cutter 2" to 4", Suppliers to provide complete specification	Nos	182	Vasudha Enterprise	1980	
340	White washing, lime in 15 kg/tin	Nos	190	TAM POULTRY EQUIPMENTS & GENERAL S	350	
341	Sprit level, WIHA 42074 - ELECTRICIAN'S SPIRIT LEVEL 100 CM	Nos	198	Vasudha Enterprise	495	
342	Jack Plane, STANLEY 1-12-005 - BAILEY® PROFESSIONAL BAILEY JACK PLANE NO.5	Nos	206	NEWAR ENTERPRISE	1550	
343	40mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	215	SANGAY SALES	90	
344	40mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	223	CHIMI JAMYANG ENTERPRISE	85	
345	40mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	231	CHIMI JAMYANG ENTERPRISE	115	
346	40mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	239	SANGAY SALES	180	
347	40mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	247	SANGAY SALES	210	
348	40mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	255	SANGAY SALES	240	
349	40mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	263	SANGAY SALES	270	
350	32mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	271	SANGAY SALES	240	
351	20mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	279	Pema Nordhen Enterprise	182	
352	20mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	287	Pema Nordhen Enterprise	196	

353	20mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	295	Pema Nordhen Enterprise	224	
354	20mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	303	Pema Nordhen Enterprise	301	
355	20mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	311	Pema Nordhen Enterprise	329	
356	20mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	319	Pema Nordhen Enterprise	343	
357	20mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	327	Pema Nordhen Enterprise	357	
358	20mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	335	Pema Nordhen Enterprise	385	
359	20mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	343	Pema Nordhen Enterprise	399	
360	20mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	351	Pema Nordhen Enterprise	441	
361	20mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	359	Pema Nordhen Enterprise	469	
362	20mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	367	Pema Nordhen Enterprise	483	
363	20mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	375	Pema Nordhen Enterprise	455	
364	20mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	383	CHIMI JAMYANG ENTERPRISE	495	
365	20mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	242	Pema Nordhen Enterprise	84	
366	20mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	250	Pema Nordhen Enterprise	98	
367	20mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	258	Pema Nordhen Enterprise	112	
368	15mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	266	Pema Nordhen Enterprise	108	
369	75mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	274	NEWAR ENTERPRISE	1040	
370	75mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	282	NEWAR ENTERPRISE	1120	
371	75mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	290	NEWAR ENTERPRISE	1280	
372	75mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	298	Pema Nordhen Enterprise	1720	
373	75mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	306	NEWAR ENTERPRISE	1920	
374	75mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	314	Pema Nordhen Enterprise	1960	
375	75mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	322	Pema Nordhen Enterprise	2040	

376	75mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	330	Pema Nordhen Enterprise	2200
377	75mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	338	Pema Nordhen Enterprise	2280
378	75mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	346	Pema Nordhen Enterprise	2520
379	75mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	354	Pema Nordhen Enterprise	2680
380	75mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	362	Pema Nordhen Enterprise	2760
381	75mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	370	Pema Nordhen Enterprise	2600
382	75mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	378	Pema Nordhen Enterprise	2840
383	75mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	386	Pema Nordhen Enterprise	3080
384	75mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	394	Pema Nordhen Enterprise	3160
385	75mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	402	Pema Nordhen Enterprise	1400
386	50mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	410	Pema Nordhen Enterprise	1660
387	40mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	418	Pema Nordhen Enterprise	1485
388	32mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	426	Pema Nordhen Enterprise	1392
389	GI Nipples(length 4"inchies)25mm	Nos	434	SANGAY SALES	36
390	GI Union 100mm, IS 1879-1987	Nos	442	Vasudha Enterprise	1300
391	GI Elbow 80mm, IS 1879-1987	Nos	450	NEWAR ENTERPRISE	750
392	GI Reducer Tee 50x 50x15mm, IS 1879-1987	Nos	458	PAWAN ENTERPRISE	320
393	GI Reducer Tee 80x80x25mm, IS 1879-1987	Nos	466	NEWAR ENTERPRISE	999
394	GI Tank Nipples 25mm	Nos	474	CHIMI JAMYANG ENTERPRISE	150
395	DI Flange 150mm	Nos	483	CHIMI JAMYANG ENTERPRISE	2485
396	CPVC Union 20mm, ISO 9001:2008 Certified	Nos	491	CHIMI JAMYANG ENTERPRISE	78
397	COVC Vall Valve 25mm, ISO 9001:2008 Certified	Nos	499	CHIMI JAMYANG ENTERPRISE	260
398	CPVC MTA(Male adaptor) 25mm, ISO 9001:2008 Certified	Nos	507	CHIMI JAMYANG ENTERPRISE	265
399	Gate Valve 100mm, Class 1,1.5 Mpa IS 778-84	Nos	515	Pema Nordhen Enterprise	9600
400	Glove Valve 10mm, Class 1,1.5 Mpa IS 778-84	Nos	523	Pema Nordhen Enterprise	12900
401	PVC Plain Elbow 2", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	531	CHIMI JAMYANG ENTERPRISE	50
402	PVC "Y" 4", Astrial/ BSB Approved	Nos	539	Vasudha Enterprise	195
403	1½"Ø Union, heavy duty Kohli or their equivalent	pcs.	547	PAWAN ENTERPRISE	250
404	Tank Nipple ¾"Ø, heavy duty Kohli or their equivalent	pcs.	555	CHIMI JAMYANG ENTERPRISE	95

405	GI Nipple ½"Ø, heavy duty Kohli or their equivalent	pcs.	563	SANGAY SALES	31
406	Plug top ¾"Ø, heavy duty Kohli or their equivalent	pcs.	570	Pema Nordhen Enterprise	24
407	End pipe Wrench 12"	Nos.	582	CHIMI JAMYANG ENTERPRISE	335
408	prunning shear	Nos.	590	DRUK WANGMO SUPPLIER	609
409	CP Extension Nipple ½"Ø,length=2"long	Nos.	598	Vasudha Enterprise	82
410	Sewerage hose pipe 90 mm dia	Nos.	606	WOEZER ENTERPRISE	45000
411	75mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	409	Pema Nordhen Enterprise	3320
412	50mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	417	Pema Nordhen Enterprise	1980
413	40mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	425	Pema Nordhen Enterprise	1740
414	GI Nipples(Length 4"inchies)20mm	Nos	433	SANGAY SALES	28
415	GI Union 80mm, IS 1879-1987	Nos	441	Vasudha Enterprise	620
416	GI Elbow 50mm, IS 1879-1987	Nos	449	CHIMI JAMYANG ENTERPRISE	280
417	GI Reducer Tee 40x40x15mm, IS 1879-1987	Nos	457	SANGAY SALES	146
418	GI Reducer Tee 50x 50 25mm, IS 1879-1987	Nos	465	PAWAN ENTERPRISE	350
419	GI Tank Nipples 20mm,	Nos	473	Vasudha Enterprise	90
420	DI Flange 100mm	Nos	482	CHIMI JAMYANG ENTERPRISE	1555
421	CPVC PIPE 40mm, ISO 9001:2008 Certified	Nos	490	CHIMI JAMYANG ENTERPRISE	929
422	COVC Vall Valve 20mm, ISO 9001:2008 Certified	Nos	498	CHIMI JAMYANG ENTERPRISE	139
423	CPVC MTA(Male adoptor) 20mm, ISO 9001:2008 Certified	Nos	506	PAWAN ENTERPRISE	120
424	Gate Valve 80mm, Class 1,1.5 Mpa IS 778-84	Nos	514	CHIMI JAMYANG ENTERPRISE	5880
425	Glove Valve 80mm, Class 1,1.5 Mpa IS 778-84	Nos	522	Pema Nordhen Enterprise	5650
426	PVC Pipe 4", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	530	CHIMI JAMYANG ENTERPRISE	620
427	PVC "Y" 3", Astrial/ BSB Approved	Nos	538	Vasudha Enterprise	95
428	2"Ø Union, heavy duty Kohli or their equivalent	pcs.	546	PAWAN ENTERPRISE	350
429	25mm water meterheavy duty or their equivalent	pcs.	554	CHIMI JAMYANG ENTERPRISE	4290
430	1½" GI Sockets, heavy duty Kohli or their equivalent	pcs.	562	PAWAN ENTERPRISE	120
431	Plug top 1"Ø, heavy duty Kohli or their equivalent	pcs.	569	NEWAR ENTERPRISE	35
432	portable stand vice	Nos.	581	Vasudha Enterprise	990
433	Prunning saw	Nos.	589	WOEZER ENTERPRISE	350
434	CP Extension Nipple ½"Ø,length=1½"long	Nos.	597	Vasudha Enterprise	75
435	safety glove rubber	pair	605	NEWAR ENTERPRISE	65
436	50mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	379	Pema Nordhen Enterprise	1420
437	50mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	387	Pema Nordhen Enterprise	1540
438	50mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	395	Pema Nordhen Enterprise	1580

439	50mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	403	CHIMI JAMYANG ENTERPRISE	615
440	40mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	411	Pema Nordhen Enterprise	1245
441	32mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	419	Pema Nordhen Enterprise	1188
442	25mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	427	Pema Nordhen Enterprise	928
443	GI Nipples(Length4" inchies)32mm	Nos	435	SANGAY SALES	48
444	GI Sockets 50mm, IS 1879-1987	Nos	443	SANGAY SALES	204
445	GI Elbow 100mm, IS 1879-1987	Nos	451	CHIMI JAMYANG ENTERPRISE	1300
446	GI Reducer Tee 80x80x15mm, IS 1879-1987	Nos	459	NEWAR ENTERPRISE	999
447	GI Reducer Tee 80x80x50mm,	Nos	467	NEWAR ENTERPRISE	999
448	GI Tank Nipples 32mm	Nos	475	PAWAN ENTERPRISE	180
449	DI Machinical Joint 80mm	Nos	484	CHIMI JAMYANG ENTERPRISE	2270
450	CPVC Union 25mm, ISO 9001:2008 Certified	Nos	492	CHIMI JAMYANG ENTERPRISE	95
451	COVC Vall Valve 32mm, ISO 9001:2008 Certified	Nos	500	CHIMI JAMYANG ENTERPRISE	407
452	CPVC MTA(Male adoptor) 32mm, ISO 9001:2008 Certified	Nos	508	CHIMI JAMYANG ENTERPRISE	548
453	Glove Valve 15mm, Class 1,1.5 Mpa IS 778-84	Nos	516	CHIMI JAMYANG ENTERPRISE	320
454	CP Brass Bib cock,	Nos	524	Vasudha Enterprise	280
455	PVC Plain Elbow 3", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	532	Vasudha Enterprise	60
456	PVC Solvent (Gum), Astrial/ BSB Approved	Nos	540	PAWAN ENTERPRISE	230
457	3"Ø Union Heavy duty	pcs.	548	PAWAN ENTERPRISE	1250
458	Tank Nipple ½"Ø, heavy duty Kohli or their equivalent	pcs.	556	CHIMI JAMYANG ENTERPRISE	75
459	GI Nipple ¾"Ø, heavy duty Kohli or their equivalent	pcs.	564	Pema Nordhen Enterprise	37
460	Plug top ½"Ø, heavy duty Kohli or their equivalent	pcs.	571	NEWAR ENTERPRISE	18
461	End pipe Wrench 14"	Nos.	583	CHIMI JAMYANG ENTERPRISE	405
462	trimmer	Nos.	591	DRUK WANGMO SUPPLIER	1856
463	CP Extension Nipple ½"Ø,length=3"long	Nos.	599	SANGAY SALES	148
464	Vaccuum pipe	Mtrs.	605	WOEZER ENTERPRISE	45000
465	40mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	388	Pema Nordhen Enterprise	1155
466	40mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	396	Pema Nordhen Enterprise	1185
467	40mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	404	CHIMI JAMYANG ENTERPRISE	485
468	32mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	412	Pema Nordhen Enterprise	996
469	25mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	420	Pema Nordhen Enterprise	792
470	20mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	428	Pema Nordhen Enterprise	812

471	GI Nipple(Length 4"inchies)40mm	Nos	436	Vasudha Enterprise	76
472	GI Sockets 80mm, IS 1879-1987	Nos	444	NEWAR ENTERPRISE	465
473	GI Reducer 50x 40mm, IS 1879-1987	Nos	452	SANGAY SALES	204
474	GI Reducer Tee 25x25x20mm, IS 1879-1987	Nos	460	SANGAY SALES	74
475	GI Bend 40mm 15degree45deg90deg	Nos	468	Pema Nordhen Enterprise	185
476	GI Tank Nipples 40mm	Nos	476	PAWAN ENTERPRISE	250
477	DI Machinical Joint 100mm	Nos	485	CHIMI JAMYANG ENTERPRISE	2595
478	CPVC Union 32mm, ISO 9001:2008 Certified	Nos	493	PAWAN ENTERPRISE	150
479	COVC Vall Valve 40mm, ISO 9001:2008 Certified	Nos	501	CHIMI JAMYANG ENTERPRISE	728
480	CPVC MTA(Male adoptor) 40mm, ISO 9001:2008 Certified	Nos	509	CHIMI JAMYANG ENTERPRISE	680
481	Glove Valve 20mm, Class 1,1.5 Mpa IS 778-84	Nos	517	CHIMI JAMYANG ENTERPRISE	400
482	Connection Pipe	Nos	525	Pema Nordhen Enterprise	135
483	PVC Plain Elbow 4", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	533	Vasudha Enterprise	110
484	plumbing tool box set, assembly set	nos	541	PAWAN ENTERPRISE	6800
485	1"Ø Union, heavy duty Kohli or their equivalent	pcs.	549	PAWAN ENTERPRISE	150
486	Reducer Socket ¾" x ½", heavy duty Kohli or their equivalent	pcs.	557	CHIMI JAMYANG ENTERPRISE	55
487	Blade, hacksaw single side	pkts.	572	SANGAY SALES	9
488	Pipe Wrench 12"	Nos.	584	Vasudha Enterprise	290
489	Socket/Ratchet wrench	Set	592	Vasudha Enterprise	4300
490	Lock and Key 75mm	Nos.	600	Vasudha Enterprise	140
491	Bricks	nos.	606	Vasudha Enterprise	18
492	25mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	374	Pema Nordhen Enterprise	520
493	25mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	382	Pema Nordhen Enterprise	568
494	25mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	390	Pema Nordhen Enterprise	616
495	25mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	398	Pema Nordhen Enterprise	632
496	25mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	406	Pema Nordhen Enterprise	280
497	20mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	414	Pema Nordhen Enterprise	581
498	15mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	422	Pema Nordhen Enterprise	594
499	Gloves GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	430	WOEZER ENTERPRISE	6500
500	GI Nipples(Length 4" inchies)80mm	Nos	438	NEWAR ENTERPRISE	160
501	GI Equal tee 50mm, IS 1879-1987	Nos	446	Pema Nordhen Enterprise	314
502	GI Reducer 100 x 80mm, IS 1879-1987	Nos	454	NEWAR ENTERPRISE	845
503	GI Reducer Tee 50x 50x20mm, IS 1879-1987	Nos	462	PAWAN ENTERPRISE	350
504	GI Bend 80mm 15 deg 45deg 90 deg	Nos	470	Pema Nordhen Enterprise	580

505	GI Flange 10mm	Nos	478	WOEZER ENTERPRISE	10
506	CPVC PIPE 20mm, ISO 9001:2008 Certified	Nos	487	CHIMI JAMYANG ENTERPRISE	265
507	CPVC Reducer 25x 20mm, ISO 9001:2008 Certified	Nos	495	CHIMI JAMYANG ENTERPRISE	30
508	CPVC FTA(Female adaptor) 25mm, ISO 9001:2008 Certified	Nos	503	Vasudha Enterprise	120
509	Thread seal tape, white seal tape per pkt	Nos	511	NEWAR ENTERPRISE	18
510	Glove Valve 32mm, Class 1,1.5 Mpa IS 778-84	Nos	519	CHIMI JAMYANG ENTERPRISE	880
511	Brass Bobcock, Polished Brass Bibcock Antique Modern	Nos	527	CHIMI JAMYANG ENTERPRISE	285
512	PVC Door Elbow 4", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	535	Vasudha Enterprise	145
513	2"Ø Nipple(15cm Length), heavy duty Kohli or their equivalent	pcs.	543	SANGAY SALES	120
514	½"Ø Union, heavy duty Kohli or their equivalent	pcs.	551	PAWAN ENTERPRISE	85
515	1½" GI elbow, heavy duty Kohli or their equivalent	pcs.	559	SANGAY SALES	181
516	sockets½", heavy duty Kohli or their equivalent	pcs.	566	SANGAY SALES	33
517	Bosch Angle grinder	set	574	CHIMI JAMYANG ENTERPRISE	2850
518	wheel waste bin Aristo	Nos.	586	NEWAR ENTERPRISE	4950
519	CP One way angle valve½"Ø	Nos.	594	CHIMI JAMYANG ENTERPRISE	455
520	15mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	400	Pema Nordhen Enterprise	474
521	15mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	408	Pema Nordhen Enterprise	210
522	75mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	416	Pema Nordhen Enterprise	3960
523	50mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	424	Pema Nordhen Enterprise	2320
524	GI Nipples(Length 4" inches)15mm	Nos	432	PAWAN ENTERPRISE	25
525	GI Union50mm, IS 1879-1987	Nos	440	PAWAN ENTERPRISE	350
526	GI Equal tee 100mm, IS 1879-1987	Nos	448	CHIMI JAMYANG ENTERPRISE	1755
527	GI Reducer Tee 25x25 15mm, IS 1879-1987	Nos	456	SANGAY SALES	74
528	GI Reducer Tee 40x 40x 25mm, IS 1879-1987	Nos	464	SANGAY SALES	268
529	GI Tank Nipples 15mm,	Nos	472	Vasudha Enterprise	70
530	DI Flange 80mm	Nos	481	CHIMI JAMYANG ENTERPRISE	1245
531	CPVC PIPE 32mm, ISO 9001:2008 Certified	Nos	489	PAWAN ENTERPRISE	650
532	CPVC Reducer 40x 32mm, ISO 9001:2008 Certified	Nos	497	Vasudha Enterprise	60
533	CPVC FTA(Female adaptor) 40mm, ISO 9001:2008 Certified	Nos	505	CHIMI JAMYANG ENTERPRISE	639
534	DI Ring Washer 20mm, Sprinkler rubber ring,Rubber o-ring	Nos	513	Pema Nordhen Enterprise	80
535	Glove Valve 50mm, Class 1,1.5 Mpa IS 778-84	Nos	521	CHIMI JAMYANG ENTERPRISE	1600
536	PVC Pipe 3", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	529	CHIMI JAMYANG ENTERPRISE	375
537	PVC Socket 4", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	537	Vasudha Enterprise	85
538	¾"Ø Nipple(15cm Length), heavy duty Kohli or their equivalent	pcs.	545	SANGAY SALES	42

539	20mm water meter, heavy duty or their equivalent	pcs.	553	CHIMI JAMYANG ENTERPRISE	2185
540	1½" GI tee equal, heavy duty Kohli or their equivalent	pcs.	561	PAWAN ENTERPRISE	250
541	½"Ø Gate Valve, heavy duty Kohli or their equivalent	pcs.	568	CHIMI JAMYANG ENTERPRISE	320
542	Grease, in ½ kg pot	pots	580	Vasudha Enterprise	280
543	nut and bolt 20mmØ 4"long	Nos.	588	Vasudha Enterprise	30
544	CP Extension Nipple ½"Ø,length=1"long	Nos.	596	Pema Nordhen Enterprise	60
545	safety glove leather	pair	604	Vasudha Enterprise	145
546	Gum boot half	pair	602	Vasudha Enterprise	315
547	20mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	391	Pema Nordhen Enterprise	539
548	20mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	399	Pema Nordhen Enterprise	553
549	20mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	407	Pema Nordhen Enterprise	245
550	15mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	415	Pema Nordhen Enterprise	498
551	75mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	423	NEWAR ENTERPRISE	4640
552	sickle GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	431	WOEZER ENTERPRISE	6500
553	GI Nipples(Length 4"=inches)100mm	Nos	439	NEWAR ENTERPRISE	200
554	GI Equal tee 80mm, IS 1879-1987	Nos	447	CHIMI JAMYANG ENTERPRISE	930
555	GI Reducer Tee 20x20x15mm, IS 1879-1987	Nos	455	SANGAY SALES	55
556	GI Reducer Tee 80x 80x 20mm, IS 1879-1987	Nos	463	NEWAR ENTERPRISE	999
557	GI Bend 100mm 15 deg 45 deg 90deg	Nos	471	Pema Nordhen Enterprise	965
558	GI Flange 150mm	Nos	479	Vasudha Enterprise	890
559	CPVC PIPE 25mm, ISO 9001:2008 Certified	Nos	488	CHIMI JAMYANG ENTERPRISE	406
560	CPVC Reducer 32x 25mm, ISO 9001:2008 Certified	Nos	496	Vasudha Enterprise	40
561	CPVC FTA(Female adaptor) 32mm, ISO 9001:2008 Certified	Nos	504	CHIMI JAMYANG ENTERPRISE	575
562	DI Ring Washer 150mm, Sprinkler rubber ring,Rubber o-ring	Nos	512	Pema Nordhen Enterprise	75
563	Glove Valve 40mm, Class 1,1.5 Mpa IS 778-84	Nos	520	CHIMI JAMYANG ENTERPRISE	1200
564	PVC Pipe 2", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	528	CHIMI JAMYANG ENTERPRISE	300
565	PVC Socket 3", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	536	Vasudha Enterprise	45
566	1"Ø Nipple(15cm Length), heavy duty Kohli or their equivalent	pcs.	544	SANGAY SALES	60
567	15mm water meter, heavy duty Kohli or their equivalent	pcs.	552	CHIMI JAMYANG ENTERPRISE	1400
568	Gate Valve 150mmØ, heavy duty Kohli or their equivalent	pcs.	560	CHIMI JAMYANG ENTERPRISE	9535
569	¾"Ø Globe Valve, heavy duty Kohli or their equivalent	pcs.	567	CHIMI JAMYANG ENTERPRISE	400
570	Pin bow shackle	Nos.	576	PAWAN ENTERPRISE	480
571	nut and bolt 16mmØ 4"long	Nos.	587	Vasudha Enterprise	20
572	CP Stop cock½"Ø	Nos.	595	PAWAN ENTERPRISE	450

573	Safety boot	pair	603	DRUK WANGMO SUPPLIER	921
574	32mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	381	Pema Nordhen Enterprise	852
575	32mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	389	Pema Nordhen Enterprise	924
576	32mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	397	Pema Nordhen Enterprise	948
577	32mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	405	CHIMI JAMYANG ENTERPRISE	385
578	25mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	413	Pema Nordhen Enterprise	664
579	20mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	421	Pema Nordhen Enterprise	693
580	15mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	429	Pema Nordhen Enterprise	696
581	GI Nipples (Length 4" inches)50mm	Nos	437	Vasudha Enterprise	98
582	GI Sockets 100mm, IS 1879-1987	Nos	445	NEWAR ENTERPRISE	845
583	GI Reducer 80x 50mm, IS 1879-1987	Nos	453	NEWAR ENTERPRISE	465
584	GI Reducer Tee 40x 40x 20mm, IS 1879-1987	Nos	461	PAWAN ENTERPRISE	250
585	GI Bend 50mm 15 deg 45 deg 90 deg	Nos	469	Pema Nordhen Enterprise	280
586	GI Flange 80mm,	Nos	477	Pema Nordhen Enterprise	430
587	DI Machinical Joint 150mm	Nos	486	CHIMI JAMYANG ENTERPRISE	4375
588	CPVC Union 40mm, ISO 9001:2008 Certified	Nos	494	PAWAN ENTERPRISE	220
589	CPVC FTA(Female adaptor) 20mm, ISO 9001:2008 Certified	Nos	502	Vasudha Enterprise	91
590	CPVC Cement solvent	Nos	510	CHIMI JAMYANG ENTERPRISE	125
591	Glove Valve 25mm, Class 1,1.5 Mpa IS 778-84	Nos	518	CHIMI JAMYANG ENTERPRISE	560
592	Wall Flange, Standard: ANSI, DIN,Type: Welding Flange	Nos	526	CHIMI JAMYANG ENTERPRISE	25
593	PVC Door Elbow 3", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	534	Vasudha Enterprise	90
594	¾"Ø Heavy duty	Mtrs.	542	NEWAR ENTERPRISE	285
595	¾"Ø Union, heavy duty Kohli or their equivalent	pcs.	550	PAWAN ENTERPRISE	120
596	1" x 1/2" GI Reducer, heavy duty Kohli or their equivalent	pcs.	558	SANGAY SALES	74
597	GI Socket ¾"Ø, heavy duty Kohli or their equivalent	pcs.	565	CHIMI JAMYANG ENTERPRISE	50
598	Bosch drill Machine, GBM 16-2 RE PROFESSIONAL	set	573	CHIMI JAMYANG ENTERPRISE	3800
599	Pipe Wrench 14"	Nos.	585	Vasudha Enterprise	365
600	CP two way angle valve½"Ø	Nos.	593	CHIMI JAMYANG ENTERPRISE	1035
601	Gum boot full	pair	601	Vasudha Enterprise	365
602	CGI sheets (Colured)	pcs.	607	Pema Nordhen Enterprise	165